# SAFETY DATA SHEET

AMACO EST. 1919 brent

**Revision Number** 2

Revision date 13-Sep-2022

1. Identification		
Product identifier		
Product Name	V-321 Lilac	
Other means of identification		
Product Code(s)	FG00038	
Synonyms	37415S, 37454R	
Recommended use of the chemical	and restrictions on use	
Recommended use		
Restrictions on use		
Details of the supplier of the safety data sheet		
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com		
Emergency telephone number		
Emergency Telephone	U.S. Poison Control 1-800-222-1222	

# 2. Hazard(s) identification

## **Classification**

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

## Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

#### Hazard statements Warning

- .....
- H302 Harmful if swallowed H317 - May cause an allergic skin reaction
- H373 May cause damage to organs through prolonged or repeated exposure



#### Physical state Liquid Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Unknown acute toxicity

14.507 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 16.837 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 30.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 30.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 25.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

## 3. Composition/information on ingredients

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%
Kaolin	1332-58-7	5 - <10
Quartz	14808-60-7	5 - <10
C.I. Pigment Red 233	68187-12-2	5 - <10
Frits, chemicals	65997-18-4	5 - <10
Wollastonite (Ca(SiO3))	13983-17-0	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

# 4. First-aid measures

#### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	

# 5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

# 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

# 8. Exposure controls/personal protection

#### Control parameters

#### Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
C.I. Pigment Red 233	-	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III)
68187-12-2		(vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr
Frits, chemicals	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m <sup>3</sup> As
65997-18-4	TWA: 0.01 mg/m <sup>3</sup> As	TWA: 50 µg/m³ Pb	IDLH: 9 mg/m <sup>3</sup> Cd dust and
	TWA: 0.05 mg/m <sup>3</sup> Pb	TWA: 0.5 mg/m <sup>3</sup> Sb	fume
	TWA: 0.01 mg/m <sup>3</sup> Cd	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 50 mg/m <sup>3</sup> Sb
	TWA: 0.002 mg/m <sup>3</sup> Cd	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	IDLH: 100 mg/m <sup>3</sup> Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup> Zr	mist
	TWA: 0.5 mg/m <sup>3</sup> Sb	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 500 mg/m <sup>3</sup> Mn
	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> Zr
	TWA: 3 mg/m <sup>3</sup> W respirable	Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 100 mg/m <sup>3</sup> Pb
	particulate matter in the absence		IDLH: 10 mg/m <sup>3</sup> Ni
	of cobalt		Ceiling: 0.002 mg/m <sup>3</sup> As 15 min
	TWA: 5 mg/m <sup>3</sup> Zr		Ceiling: 0.05 mg/m <sup>3</sup> V dust and
	TWA: 0.02 mg/m <sup>3</sup> Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m <sup>3</sup> Sb
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		TWA: 1 mg/m <sup>3</sup> Cu dust and
	particulate matter		mist
			TWA: 1 mg/m <sup>3</sup> Mn
			TWA: 5 mg/m <sup>3</sup> except Zirconium

			tetrachloride Zr
			TWA: 0.050 mg/m <sup>3</sup> Pb
			TWA: 0.015 mg/m <sup>3</sup> except
			Nickel carbonyl Ni
			STEL: 3 mg/m <sup>3</sup> Mn
			STEL: 10 mg/m <sup>3</sup> Zr
Wollastonite (Ca(SiO3))	TWA: 1 mg/m <sup>3</sup> inhalable	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
13983-17-0	particulate matter, particulate	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	matter containing no asbestos	fraction	
	and <1% crystalline silica	(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	

#### **Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 μg/L - blood (Cadmium) - not critical

### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

Information on basic physical and chemical properties		
Physical state	Liquid	
Appearance		
Color		
Odor		
Odor threshold		

Property_	Values
рН	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling range	eNo data available
Flash point	No data available
Evaporation rate	No data available
Flammability	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available

# Remarks • Method

None known None known None known None known None known None known

#### FG00038 - V-321 Lilac

limits Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity

Other information Explosive properties Oxidizing properties VOC Content (%) No data available No data available No data available No data available 410 No data available No data available No data available

No data available

No information available No information available No information available

# 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives.

Acute toxicity

#### Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)1,635.70 mg/kgATEmix (dermal)19,340.20 mg/kgATEmix (inhalation-dust/mist)22.20 mg/l

#### Unknown acute toxicity

None known

14.507 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

16.837 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

25.837 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
C.I. Pigment Red 233 68187-12-2	-	-	> 5.4 mg/L (Rat)4 h
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg (Rat)	-	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure ..

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.

#### Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х
C.I. Pigment Red 233 68187-12-2	-	Group 3	-	-
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	Х
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

#### IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

#### NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

# 12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

## Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

# 13. Disposal considerations

Disposal methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. Transport information

DOT

Not regulated

UN number or ID number	UN3082
Packing group	III

## 15. Regulatory information

#### International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
C.I. Pigment Red 233	68187-12-2	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Tin oxide (SnO2)	18282-10-5	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Red 233 - 68187-12-2	1.0
Frits, chemicals - 65997-18-4	0.1
	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Red 233 68187-12-2	-	Х	-	-
Frits, chemicals 65997-18-4	-	Х	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Kaolin 1332-58-7	Х	Х	Х
Quartz 14808-60-7	Х	Х	Х
C.I. Pigment Red 233 68187-12-2	Х	-	Х
Frits, chemicals 65997-18-4	Х	-	Х
Wollastonite (Ca(SiO3)) 13983-17-0	Х	Х	Х
Tin oxide (SnO2) 18282-10-5	Х	Х	-
Ethanolamine 141-43-5	Х	Х	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPAHealth hazards2Flammability0HMISHealth hazards2 *Flammability0Chronic Hazard Star Legend* = Chronic Health Hazard	Instability 0 Physical hazards 0	Special hazards -
		Personal protection X
	-	· · · · · · · · · · · · · · · · · · ·
Key or legend to abbreviations and acronyms used in the safety data	sheet	
Legend Section 8: Exposure controls/personal protection		
TWA TWA (time-weighted average) STEL	STEL (Short Term	n Exposure Limit)
Ceiling Maximum limit value *	Skin designation	. ,

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

**Revision date Revision Note** Disclaimer

13-Sep-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**